



FASTENERS

Leading fasteners
manufacturer in India



40 YEARS OF CREATING
#infinitepossibilities

Skipper Limited is the largest Transmission Tower manufacturing company in India and also among the top 10 largest tower manufacturers in the world. Skipper is also the one and only integrated T&D company in the world to be present across the entire value chain - Angle Rolling, Tower and Monopole manufacturing, Load Testing and EPC line construction.

SKIPPER FACTS:



Incorporation:

Established in 1981, Skipper has emerged as a prominent and competitive global manufacturer of electrical Transmission Towers and Poles



Location:

Headquartered in Kolkata (West Bengal, India). Skipper is present both in national and international markets exporting to more than 40 countries



Facilities & Capacity:

Three of the Company's manufacturing facilities are located in Kolkata and two units in Guwahati (Assam) with a total manufacturing capacity of 300000 MTPA



R&D:

In-house Research & Development Center recognized by the Department of Scientific and Industrial Research (DSIR), Govt. of India, backed by world's Largest Tower Testing Station



Award:

Recognised as the largest tower supplier for the third consecutive year by PGCIL

FASTENERS

Skipper has a specialised division for manufacturing of all kinds of Fastener Products. The company boasts of state of the art plants and machineries for manufacturing of flawless product categories. Each and every product at Skipper goes through a series of stringent quality checks to ensure global standards. We are not only a national powerhouse brand, but also export to multiple countries. With an experience of more than 4 decades, Skipper aims to make India the preferred sourcing hub for Global Infrastructure needs.




PROPERTY CLASS

BOLTS



Hex Bolt

M12 - Ms2
Grade: 4.6/4.8
5.6/5.8/6.8/8.8
10.9/ASTM T-1



Carriage Bolt

M12 - M16
Grade: 5.6/6.8
8.8

U Bolt

M10 - M48
Grade: 5.6/5.8
6.8/8.8



Hex Screw

M12 - M52
Grade: 4.6/4.8
5.6/5.8/6.8/8.8
10.9/ASTM
A-325M/T-1



Anti Theft Bolt

M12 - M24
Grade: 5.6/5.8
6.8/8.8



Heavy Hex Bolt

M12 - M36
Grade: 8.8s/10.9s
A-325M/T-1

T Bolt

M12 - M24
Grade: 5.6/5.8
8.8



Anchor Bolt

M12 - M56
Grade: 4.6/5.6



Slotted Bolt

M12 - M24
Grade: 5.6/5.8
8.8

NUT



Hex Nut

M12 - M24
Grade: 4/5/6/8
10



Heavy Hex Nut

M12 - M24
Grade: 8s/10s

Anti Theft Nut

M16 - M20
Grade: 5/8



WASHERS



Plain Washers

M12 - M56
Grade: MS/HT
F-436



Spring Washers

M12 - M24
Grade: ISO/ASTM

Electroplated Spring Washer




STUD



Stud Bolts

M12 - M52
Grade: 5.6/5.8
6.8/8.8



Fully Threaded Rod & Stud

M12 - M52
Grade: 5.6/5.8
6.8/8.8

MANUFACTURING PROCESS FLOW CHART OF BOLTS



THERBLIGS

Process → Inspection & Testing → Rejection

PROCESS FLOW CHART OF HEAT TREATMENT PROCESS



01
Material
Loading Point



02
Hardening
Zone



03
Quenching
Zone




04
Tempering
Zone



05
Material
Unloading Point



DIMENSIONAL STANDARD FOR BOLTS, NUTS & WASHERS



- HD -- Head Dia
- S -- Across Flats
- e -- Across Corner
- K -- Head Thickness
- b -- Thread Length
- C -- Washer Thickness
- ds -- Shank Dia
- dw -- Washer Dia
- MD -- Major Dia
- PCD -- Pitch Circle Dia

Table 1 Dimensional Parameters for Bolts

Bolt Size	Dimensions (mm)																	
	HD		S		e	K		b		C	ds		dw	PCD		MD		Thread
	Min	Max	Min	Max		Min	Max	Min	Max		Min	Max		Min	Max	Min	Max	
M12	22.00	22.50	17.57	18.00	19.85	7.55	8.45	20.50	23.00	0.50	11.30	12.70	16.10	10.65	10.82	11.57	11.96	1.75 P
M16	28.50	29.50	23.16	24.00	26.17	9.25	10.75	23.00	-	0.80	15.30	16.70	22.00	14.41	14.66	15.51	15.96	2.00 P
M20	-	-	29.16	30.00	32.95	12.10	13.90	26.00	28.50	0.80	19.30	20.84	28.30	18.10	18.33	19.57	19.96	2.50 P
M24	-	-	35.00	36.00	39.55	14.10	15.90	30.00	33.00	0.80	23.30	24.70	33.30	21.75	22.00	23.57	23.96	3.00 P



- S -- Across Flats
- e -- Across Corner
- m -- Head Height
- D -- Outer Dia
- d -- Inner Dia







Table 2 Dimensional Parameters for Nuts

Nut Size	Dimensions (mm)					
	S		e	m		Thread Pitch Over Tap
	Min	Max		Min	Max	
M12	17.57	18.00	19.85	10.37	10.80	1.75
M16	23.16	24.00	26.17	14.90	15.50	2.00
M20	29.16	30.00	32.95	16.90	18.00	2.50
M24	35.00	36.00	39.55	20.20	21.50	3.00

Table 3 Dimensional Parameters Pack Washers

Pack Washer	Dimensions (mm)			
	D		d	
	Min	Max	Min	Max
M16	28.70	30.00	18.00	18.52
M20	36.20	37.00	22.00	22.70
M24	43.20	44.00	26.00	26.70



- d2 -- Outer Dia
- d1 -- Inner Dia
- s -- Thickness
- b -- Width
- h -- Height






TYPE B (RIGHT HAND)

Table 4 Dimensional Parameters for Spring Washers

Spring Washer	Dimensions (mm)								
	d2	d1		s		b		h	
		Min	Max	Min	Max	Min	Max	Min	Max
M16	27.40	16.20	17.00	3.30	3.70	4.80	5.20	7.00	8.30

TOWER ACCESSORIES

We are one of the leading manufacturers and suppliers of a wide range of Transmission Line Tower Accessories such as Hangers, Extension Links, D-Shackle, Bird Guards, etc. Manufactured using supreme grade raw materials as per the set industry standards, these accessories are available in various specifications as per the specific needs of the clients. These are widely acknowledged for features like corrosion resistant finish, dimensional accuracy, high strength, robust construction and durable finish standards

	Hangers M16 - M27 Grade: 5.6/8.8		D-Shackles M16 - M45 Grade: 5.6/8.8
Bird Guards		Anti Climbing Devices M10 - M25 Grade: 4.6/5.6 8.8	
	Step Bolts M12 - M24 Grade: 5.6/4.6 5.8/8.8/6.8		Foundation Bolts M12 - M56 Grade: 5.6/4.6



Registered Office: 3A, Loudon Street, Kolkata - 700 017, India
Phone: +91 33 2289 5731
Website: www.skipperlimited.com

Follow us on:    

Please send in your quote requests directly to:

Mr. Sanjay Ghosh

M: +91 98745 11102

Email: sanjay.ghosh@skipperlimited.com