

An ISO 9001
Certified Company

SKIPPER

PIPES

Plumbing Pipes & Fittings

Conforms to IS & ASTM Standards

PRICE LIST

CPVC UPVC SWR




PLUMBING

w.e.f 16th Sept, 2016

Applicable for Western and Northern states of India

www.skipperlimited.com



Taking Water Everywhere

The Plumber's Partner

In an urban set-up, the plumber faces infinite complications ensuring proper flow of water in houses, offices, schools, hospitals etc as well as effective draining of sewerage. Skipper aims to reduce the list of problems.

Cutting edge technology and years of advanced R&D is what makes Skipper. It is the sphere where every plumbing problem finds a solution - be the need for plumbing hot or cold water, Skipper CPVC and UPVC pipes are available for every need!

Skipper MagikFlow SWR pipes are the ideal components for proper drainage solutions - residential or commercial, for hotel or office use. Skipper pipes have ultra-smooth texture that ensures free and fast flow.



CPVC



UPVC



SWR



Also available
**Borewell & Agriculture
Pipes & Fittings**





AUTHORIZATIONS

Skipper believes in seeking excellence and not just perfection. We are authorized by the Bureau of Indian Standards.



APPRECIATIONS

Skipper is the name of the revolution in the plumbing sector and has become invincible in serving the very needs. We have also been evaluated and certified by CBRI Roorkee for the "Lead free UPVC for portable water" and "CPVC pipes and fittings for hot and cold water supply".

Report No PPDC(C)/0685

**Report
On**

Evaluation of SKIPPER brand Lead Free PVC pipes & fittings for potable water supply in buildings

Sponsored by
Skipper Limited
3A, Loudon Street, 1st Floor,
Kolkata-700017

CSIR- Central Building Research Institute
Roorkee-247667
June 2016

CBRI

Report No PPDC(C)/0685

Table 13. Potability evaluation of water extractant of 'SKIPPER' brand lead-free PVC pipes as per IS: 10500 - 91 (Indian Standard Specification for Drinking Water)

Property	Required value (IS: 10500 - 91)	lead-free PVC Pipe
A. Physical test		
Colour	No change	No change
Odour	Unobjectionable	Odour-free
Taste	Agreeable	No change in taste
Turbidity	10	1.01
Dissolved solids (mg/ l max)	500	280
pH	6.5 - 8.5	7.98
B. Microbiological test (6 weeks)		
Multiple tube MPN/100 ml (37°C/48 h)	10	NIL
C. Toxic metals		
Cadmium (mg/l) max.	0.01	0.007
Lead (mg/l) max.	0.05	NIL
Zinc (mg/l) max.	5.0	0.266
Copper (mg/l) max.	0.05	0.026
Mercury (mg/l) max.	0.001	NIL
Iron (mg/l) max.	0.3	Non-detectable
Chromium (mg/l) max.	0.05	Non-detectable

B. Singh
15/6/2016
Site No. 102/Dr. B. SINGH
Roorkee-247667
Central Building Research Institute
Roorkee-247667

Report No PPDC(C)/0675

**Report
On**

Evaluation of SKIPPER brand CPVC pipes & fittings for hot and cold water supply in buildings

CSIR- Central Building Research Institute
Roorkee-247667
June 2016

5.0 Conclusions & Recommendations

- Test results show that, 'Skipper' brand CPVC pipes and fittings have been found suitable for hot and cold water distribution system in buildings.
- 'Skipper' brand CPVC pipes and fittings satisfy the requirements of ASTM D 2846 (properties of pipes and fittings), IS: 10500-91 (quality of water) and IS: 10151-82 (overall migration of leachable additives).
- Works has been carried out on the samples supplied by the party and the reported results are based on these samples.

B. Singh
15.6.2016
Site No. 102/Dr. B. SINGH
Roorkee-247667
Central Building Research Institute
Roorkee-247667

CBRI

Report No PPDC(C)/0675

Table 13. Potability evaluation of water extractant of 'SKIPPER' brand CPVC pipes as per IS: 10500 - 91 (Indian Standard Specification for Drinking Water)

Property	Required value (IS: 10500 - 91)	CPVC pipe Obtained value	
		SDR 11	SDR 13.5
A. Physical test			
Colour	No change	No change	No change
Odour	Unobjectionable	Odour-free	Odour-free
Taste	Agreeable	No change in taste	No change in taste
Turbidity	10	0.88	0.85
Dissolved solids (mg/ l max)	500	269	273
pH	6.5 - 8.5	7.95	7.85
B. Microbiological test (6 weeks)			
Multiple tube MPN/100 ml (37°C/48 h)	10	NIL	NIL
C. Toxic metals (ICP method)			
Cadmium (mg/l) max.	0.01	0.003	0.0025
Lead (mg/l) max.	0.05	0.002	0.0028
Zinc (mg/l) max.	5.0	1.441	1.564
Copper (mg/l) max.	0.05	0.03	0.035
Mercury (mg/l) max.	0.001	0.0002	0.0003

B. Singh
15.6.2016
Site No. 102/Dr. B. SINGH
Roorkee-247667
Central Building Research Institute
Roorkee-247667



A dynamic water splash in shades of blue, with droplets and ripples, serves as the background for the advertisement. The splash is most prominent at the bottom and right sides, creating a sense of movement and freshness.

SKIPPER

— CPVC Pipes & Fittings —

by

Durastream™

CPVC COMPOUND

Superior Quality. Long Life.

Manufactured according to IS: 15778:2007 & ASTM D-2846 standards, Skipper chlorinated polyvinyl chloride (CPVC) pipes & fittings offer a long-lasting and cost-effective solution for hot & cold water systems in plumbing & potable water applications in residential & commercial areas. It is an industrial thermoplastic material which can be used for higher temperature applications. Polyvinyl chloride with additional chlorine helps to reduce reaction to heat advantages over regular polyvinyl chloride (PVC) retaining the excellent chemical properties of the same. CPVC Pipes & Fittings are made by Durastream CPVC Compound.

CPVC

CPVC Pipes & Fittings

Conforms to IS 15778 & ASTM D 2846

Ideal for Hot & Cold Water Plumbing



SKIPPER
CPVC Pipes
by
Durostream™
CPVC COMPOUND

- ◆ Superior from a Hygiene perspective
- ◆ Heat & Fire Resistant
- ◆ Low Construction Cost
- ◆ Superior Mechanical Strength
- ◆ Suitable for potable water

* Only CPVC pipes are NSF certified

CPVC Pipes
(IS 15778 & ASTM-D-2846)



Rate per Mtr. (₹)

(Inch)	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
(mm)	15	20	25	32	40	50
SDR 11	53.50	83.00	129.50	202.50	278.00	465.00
SDR 13.5	47.00	76.00	111.00	170.00	235.00	386.00

PACKAGING STRUCTURE

(Inch)	(mm)	Pieces
1/2"	15	50
3/4"	20	50
1"	25	25
1 1/4"	32	25
1 1/2"	40	20
2"	50	10

CPVC Fittings
(ASTM-D-2846) SDR 11



(Inch)	(mm)	Qty/Bag	Qty/Box	Rate/pc. (₹)
1/2"	15	100	1000	12.50
3/4"	20	30	360	19.00
1"	25	20	200	32.00
1 1/4"	32	11	110	72.50
1 1/2"	40	06	66	112.50
2"	50	03	30	232.50








1/2"	15	70	700	11.50
3/4"	20	60	300	12.50
1"	25	40	160	25.50
1 1/4"	32	15	75	56.00
1 1/2"	40	10	50	109.50
2"	50	05	20	223.50



3/4" x 1/2"	20x15	45	450	19.00
1" x 1/2"	25x15	25	250	32.00
1" x 3/4"	25x20	25	250	48.00



1/2"	15	30	360	46.50
3/4"	20	25	250	69.00
1"	25	15	150	255.00

CPVC Fittings (ASTM-D-2846) SDR 11		(Inch)	(mm)	Qty/Bag	Qty/Box	Rate/pc. (₹)
 Brass Reducer Elbow 90°	3/4" x 1/2"	20x15	25	250	49.50	
	1" x 1/2"	25x15	15	180	91.00	
	1" x 3/4"	25x20	15	150	135.00	
	1 1/4" x 1/2"	32x15	15	75	155.00	
	1 1/4" x 3/4"	32x20	15	75	182.00	
	1 1/4" x 1"	32x25	15	75	275.00	
 Elbow Holder	1/2" x 1/2"	15x15	25	1000	5.00	
	3/4" x 1/2"	20x15	25	1000	6.00	
 Cross Tee	1/2"	15	30	300	21.50	
	3/4"	20	16	160	44.00	
	1"	25	08	72	77.50	
	1 1/4"	32	04	48	140.50	
	1 1/2"	40	02	28	259.50	
	2"	50	01	14	341.50	
 Tee	1/2"	15	50	500	15.00	
	3/4"	20	20	200	20.50	
	1"	25	25	100	32.00	
	1 1/4"	32	06	72	72.50	
	1 1/2"	40	06	36	131.00	
	2"	50	02	18	281.50	
 Reducer Tee	1/2" x 1/2" x 3/4"	15x15x20	30	300	31.00	
	3/4" x 1/2" x 1/2"	20x15x15	30	300	31.50	
	3/4" x 1/2" x 3/4"	20x15x20	50	800	28.50	
	3/4" x 3/4" x 1/2"	20x20x15	30	300	33.50	
	1" x 1" x 1/2"	25x25x15	15	180	53.00	
	1" x 1" x 3/4"	25x25x20	20	140	55.50	
	1 1/4" x 1 1/4" x 1/2"	32x32x15	11	88	94.50	
	1 1/4" x 1 1/4" x 3/4"	32x32x20	08	88	111.00	
	1 1/4" x 1 1/4" x 1"	32x32x25	06	72	91.00	
	1 1/2" x 1 1/2" x 1/2"	40x40x15	10	50	157.00	
	1 1/2" x 1 1/2" x 3/4"	40x40x20	10	50	155.50	
	1 1/2" x 1 1/2" x 1"	40x40x25	10	50	145.50	
	1 1/2" x 1 1/2" x 1 1/4"	40x40x32	10	50	145.50	
	2" x 2" x 1/2"	50x50x15	05	25	265.00	
	2" x 2" x 3/4"	50x50x20	05	25	304.00	
	2" x 2" x 1"	50x50x25	05	25	289.50	
	2" x 2" x 1 1/4"	50x50x32	02	26	304.00	
	2" x 2" x 1 1/2"	50x50x40	02	24	283.50	

CPVC Fittings (ASTM-D-2846) SDR 11	(Inch)	(mm)	Qty/Bag	Qty/Box	Rate/pc. (₹)
---------------------------------------	--------	------	---------	---------	--------------



1/2"	15	25	300	59.00
3/4"	20	25	150	82.00



3/4" x 3/4" x 1/2"	20x20x15	20	180	59.50
1" x 1" x 1/2"	25x25x15	10	100	104.00
1" x 1" x 3/4"	25x25x20	20	100	142.00
1 1/4" x 1 1/4" x 1/2"	32x32x15	15	75	177.00









1/2" x 1/2" x 1/2"	15x15x15	25	1000	4.70
3/4" x 3/4" x 1/2"	20x20x15	25	750	6.50
1" x 1" x 1/2"	25x25x15	25	500	6.75









1/2"	15	110	1100	8.50
3/4"	20	50	500	10.50
1"	25	25	250	17.00
1 1/4"	32	25	150	35.50
1 1/2"	40	08	80	64.50
2"	50	08	48	136.00



3/4" x 1/2"	20x15	75	750	14.50
1" x 1/2"	25x15	40	400	23.00
1" x 3/4"	25x20	35	350	23.50
1 1/4" x 1/2"	32x15	20	200	54.00
1 1/4" x 3/4"	32x20	18	324	49.50
1 1/4" x 1"	32x25	15	270	50.50
1 1/2" x 1/2"	40x15	10	130	78.00
1 1/2" x 3/4"	40x20	10	130	81.00
1 1/2" x 1"	40x25	25	200	74.50
1 1/2" x 1 1/4"	40x32	10	100	73.00
2" x 1/2"	50x15	06	72	142.00
2" x 3/4"	50x20	06	72	175.50
2" x 1"	50x25	06	72	127.50
2" x 1 1/4"	50x32	06	72	140.00
2" x 1 1/2"	50x40	06	72	182.50

CPVC Fittings (ASTM-D-2846) SDR 11		(Inch)	(mm)	Qty/Bag	Qty/Box	Rate/pc. (₹)
 <p>Male Thread Adapter (MTA)</p>	1/2"	15	80	800	11.00	
	3/4"	20	50	500	15.00	
	1"	25	26	260	23.50	
	1 1/4"	32	10	140	40.00	
	1 1/2"	40	09	90	58.00	
	2"	50	05	50	112.50	
 <p>Male Thread Adapter Reducer (MTA)</p>	3/4" x 1/2"	20x15	50	500	20.00	
	1" x 3/4"	25x20	50	200	26.00	
 <p>Brass Male Thread Adapter (MTA)</p>	1/2"	15	40	400	110.50	
	3/4"	20	25	250	142.50	
	1"	25	12	120	221.50	
	1 1/4"	32	05	60	457.00	
	1 1/2"	40	05	50	567.00	
	2"	50	03	30	1089.50	
 <p>Brass Reducer Male Thread Adapter (MTA)</p>	3/4" x 1/2"	20x15	25	300	92.00	
	1" x 1/2"	25x15	10	200	148.00	
	1" x 3/4"	25x20	10	200	144.00	
 <p>Female Thread Adapter (FTA)</p>	1/2"	15	50	600	14.50	
	3/4"	20	50	350	20.00	
	1"	25	40	160	29.50	
	1 1/4"	32	50	100	78.00	
	1 1/2"	40	08	64	102.00	
	2"	50	04	36	160.50	
 <p>Brass Female Thread Adapter (FTA)</p>	1/2"	15	40	400	106.00	
	3/4"	20	25	250	143.00	
	1"	25	10	120	219.00	
	1 1/4"	32	05	60	465.00	
	1 1/2"	40	05	50	519.00	
	2"	50	01	30	997.00	

CPVC Fittings (ASTM-D-2846) SDR 11	(Inch)	(mm)	Qty/Bag	Qty/Box	Rate/pc. (₹)
 Brass Reducer Female Thread Adapter (FTA)	3/4" x 1/2"	20x15	25	300	60.50
	1" x 1/2"	25x15	20	200	71.00
	1" x 3/4"	25x20	10	400	75.00
 Tank Nipple	1/2"	15	22	220	40.50
	3/4"	20	14	140	44.00
	1"	25	08	80	66.50
	1 1/4"	32	05	55	105.50
	1 1/2"	40	04	40	153.50
	2"	50	03	27	241.00
 Tank Nipple with One Side Fitment	3/4"	20	25	150	33.50
	1"	25	25	100	52.50
 Compact Ball Valve	1/2"	15	18	180	71.00
	3/4"	20	08	80	116.00
	1"	25	05	60	216.50
	1 1/4"	32	05	35	385.00
	1 1/2"	40	05	25	604.00
	2"	50	03	15	1062.50
 Single Union Ball Valve	1/2"	15	15	180	75.00
	3/4"	20	08	80	125.00
	1"	25	05	55	225.00
	1 1/4"	32	07	35	400.00
	1 1/2"	40	05	25	625.00
	2"	50	03	15	1100.00
 Step Over Bend	1/2"	15	10	100	44.00
	3/4"	20	10	100	71.50
	1"	25	05	60	134.50
	1 1/4"	32	04	40	190.00
	1 1/2"	40	02	24	245.50
	2"	50	01	12	420.50

CPVC Fittings
(ASTM-D-2846) SDR 11

(Inch) (mm) Qty/Bag Qty/Box Rate/pc. (₹)



3/4" x 1/2"	20x15	100	1200	8.00
1" x 1/2"	25x15	100	600	18.50
1" x 3/4"	25x20	100	600	13.00
1 1/4" x 1/2"	32x15	33	330	35.50
1 1/4" x 3/4"	32x20	33	330	26.00
1 1/4" x 1"	32x25	33	330	21.50
1 1/2" x 1/2"	40x15	20	200	51.00
1 1/2" x 3/4"	40x20	20	200	40.50
1 1/2" x 1"	40x25	20	200	40.00
1 1/2" x 1 1/4"	40x32	20	200	28.00
2" x 1/2"	50x15	10	350	79.50
2" x 3/4"	50x20	10	350	72.50
2" x 1"	50x25	10	350	73.00
2" x 1 1/4"	50x32	08	80	84.50
2" x 1 1/2"	50x40	08	80	69.50









1/2"	15	100	4000	3.00
3/4"	20	100	3000	4.00
1"	25	50	2000	4.50
1 1/4"	32	25	1500	6.75
1 1/2"	40	25	1000	8.25
2"	50	25	750	11.25






1/2"	15	100	2000	6.75
3/4"	20	100	1500	7.50
1"	25	50	1000	9.00
1 1/4"	32	25	1000	10.00
1 1/2"	40	25	500	11.00
2"	50	25	500	12.00



1/2"	15	25	2000	9.75
3/4"	20	50	1500	10.00
1"	25	50	1000	10.50
1 1/4"	32	25	1000	11.25
1 1/2"	40	10	500	13.50
2"	50	10	500	16.50

CPVC Fittings (ASTM-D-2846) SDR 11	(Inch)	(mm)	Qty/Bag	Qty/Box	Rate/pc. (₹)
 Flange End Cap Open	1"	25	06	84	180.00
	1¼"	32	04	56	215.00
	1½"	40	04	40	290.00
	2"	50	02	30	423.00
 Flange End Cap Closed	1"	25	04	60	185.00
	1¼"	32	02	50	220.00
	1½"	40	02	36	300.00
	2"	50	02	26	425.00
 Short Bend	½"	15	05	500	16.00
	¾"	20	05	300	28.00
	1"	25	05	200	46.00
	1¼"	32	05	150	69.50
	1½"	40	05	100	92.50
	2"	50	05	50	192.50
 Union	½"	15	30	330	37.00
	¾"	20	30	120	61.50
	1"	25	20	80	88.50
	1¼"	32	15	120	119.50
	1½"	40	12	72	199.50
	2"	50	04	40	357.50
 Expansion Loop	½"	15	05	200	42.50
	¾"	20	05	100	76.50
	1"	25	02	50	135.00
	1¼"	32	02	32	251.00
	1½"	40	02	20	392.00
	2"	50	01	10	790.00
 Converter Bushing (IPS to CTS)	½"	15	50	600	12.00
	¾"	20	50	300	15.00
	1"	25	25	150	22.00
	1¼"	32	25	100	39.00
	1½"	40	15	75	50.00
	2"	50	10	50	75.00

CPVC Fittings (ASTM-D-2846) SDR 11		(Inch)	(mm)	Qty/Bag	Qty/Box	Rate/pc. (₹)
 Sweep Bend Socket at both sides	1"	25	10	300	51.00	
	1 1/2"	40	10	300	51.00	
 End Cap	1/2"	15	200	2000	7.00	
	3/4"	20	100	900	10.00	
	1"	25	50	400	14.50	
	1 1/4"	32	24	240	30.00	
	1 1/2"	40	20	160	45.00	
	2"	50	10	70	95.50	
 Threaded End Plug	1/2"	15	25	1200	6.00	
	3/4"	20	25	200	7.50	

Terms & Conditions:

1. All above prices are Ex-Works.
2. All Government Levis like Excise Duty, CST/VAT, Educational cess will be charged as applicable.
3. Prices, Discounts & Terms and Conditions are subject to change without any prior notice.
4. Prices prevailing at the time of dispatch will be applicable.
5. Please refer to works for minimum order quantity.
6. Please refer to our technical catalogue before placing order for any technical query.
7. All disputes are subject to Kolkata Court Jurisdiction only.

A dynamic background of water splashing, with numerous droplets and streams of water in various stages of motion, creating a sense of freshness and purity. The water is clear and bright, contrasting with the dark grey background.

SKIPPER
PIPES

UPVC PIPES

Complete Solutions for Potable Water.

Skipper high pressure UPVC solvent weld plumbing systems are the most suitable, easy and economical solution for transportation and distribution of potable water. This system is very easy to install and is functionally most suitable for plumbing applications like down-take and up-take lines, terrace looping and concealed pipe work in any building or construction. Skipper UPVC is a value added long-term plumbing solution for the building industry.

UPVC Pipes & Fittings

Conforms to ASTM D 1785 & ASTM D 2467

Ideal for Potable Water Distribution

LEADFREE



- ◆ Economical for up-take, down-take lines, terrace looping, concealed pipe work
- ◆ Ultimate Endurance
- ◆ Anti-Contamination
- ◆ Thermoplastic Material
- ◆ Anti-Fungal

UPVC Pipes (ASTM-D-1785)



Rate per Mtr. (₹)

	(Inch)	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
	(mm)	15	20	25	32	40	50
SCH40		37.50	52.00	73.50	104.50	119.00	159.00
SCH80		47.00	64.00	94.00	131.00	160.00	220.00

PACKAGING STRUCTURE

(Inch)	(mm)	Pieces (6m)	Pieces (3m)
1/2"	15	25	50
3/4"	20	20	40
1"	25	10	25
1 1/4"	32	10	20
1 1/2"	40	10	20
2"	50	05	10

UPVC Fittings
(ASTM-D-2467) SCH80




(Inch)	(mm)	Qty/Bag	Qty/Box	Rate/pc. (₹)
1/2"	15	20	300	6.50
3/4"	20	16	160	10.00
1"	25	11	110	15.50
1 1/4"	32	09	72	23.50
1 1/2"	40	05	40	31.00
2"	50	04	28	49.00



1/2"	15	23	460	7.00
3/4"	20	28	280	11.50
1"	25	20	200	17.50
1 1/4"	32	10	100	28.50
1 1/2"	40	08	72	35.00
2"	50	04	20	51.50



1/2"	15	40	200	6.50
3/4"	20	16	128	9.00
1"	25	09	90	16.00
1 1/4"	32	10	80	22.00
1 1/2"	40	10	50	28.00
2"	50	05	25	43.00

UPVC Fittings (ASTM-D-2467) SCH80	(Inch)	(mm)	Qty/Bag	Qty/Box	Rate/pc. (₹)
 Elbow 90° Reducer	¾" x ½"	20x15	50	650	11.50
	1" x ½"	25x15	25	400	15.00
	1" x ¾"	25x20	25	400	20.75
 Brass Elbow 90° with SS Ring	½"	15	18	180	60.00
	¾"	20	11	110	84.00
	1"	25	10	60	140.00
 Brass Elbow 90°	½"	15	18	180	58.00
	¾"	20	11	110	82.00
	1"	25	10	60	135.00
 Brass Reducer Elbow 90° with SS Ring	¾" x ½"	20x15	15	150	77.50
	1" x ½"	25x15	15	150	97.00
	1" x ¾"	25x20	20	100	110.00
 Brass Reducer Elbow 90°	¾" x ½"	20x15	15	150	75.00
	1" x ½"	25x15	15	150	94.00
	1" x ¾"	25x20	20	100	106.00
 Cross Tee	½"	15	25	200	10.50
	¾"	20	15	150	14.50
	1"	25	10	100	30.00

UPVC Fittings
(ASTM-D-2467) SCH80

(Inch) (mm) Qty/Bag Qty/Box Rate/pc. (₹)



1/2"	15	34	340	9.50
3/4"	20	20	180	13.50
1"	25	12	108	23.50
1 1/4"	32	06	72	35.00
1 1/2"	40	05	50	46.50
2"	50	03	15	75.50



1/2"	15	20	160	8.00
3/4"	20	10	100	10.50
1"	25	07	56	17.50



1/2"	15	13	130	69.00
3/4"	20	08	80	86.50



1/2"	15	13	130	66.00
3/4"	20	08	80	83.00



1/2" x 1/2" x 3/4"	15x15x20	25	150	12.50
3/4" x 3/4" x 1/2"	20x20x15	25	200	13.50
1" x 1" x 1/2"	25x25x15	16	160	23.00
1" x 1" x 3/4"	25x25x20	15	135	23.00
1 1/4" x 1 1/4" x 1/2"	32x32x15	05	50	46.50
1 1/4" x 1 1/4" x 3/4"	32x32x20	05	50	46.50
1 1/4" x 1 1/4" x 1"	32x32x25	05	45	46.50
1 1/2" x 1 1/2" x 1/2"	40x40x15	04	48	45.00
1 1/2" x 1 1/2" x 3/4"	40x40x20	04	36	50.00
1 1/2" x 1 1/2" x 1"	40x40x25	04	36	50.00
1 1/2" x 1 1/2" x 1 1/4"	40x40x32	04	24	63.50
2" x 2" x 1/2"	50x50x15	03	30	73.00
2" x 2" x 3/4"	50x50x20	03	30	85.00
2" x 2" x 1"	50x50x25	02	22	83.50
2" x 2" x 1 1/4"	50x50x32	02	18	88.00
2" x 2" x 1 1/2"	50x50x40	02	18	80.00

UPVC Fittings
(ASTM-D-2467) SCH80


(Inch) (mm) Qty/Bag Qty/Box Rate/pc. (₹)



3/4" x 3/4" x 1/2"	20x20x15	11	110	76.00
1" x 1" x 1/2"	25x25x15	10	100	88.00
1" x 1" x 3/4"	25x25x20	10	100	146.00



3/4" x 3/4" x 1/2"	20x20x15	11	110	72.00
1" x 1" x 1/2"	25x25x15	10	100	84.50
1" x 1" x 3/4"	25x25x20	10	100	140.00



1/2"	15	50	700	4.50
3/4"	20	15	450	7.50
1"	25	20	280	11.50
1 1/4"	32	15	165	17.50
1 1/2"	40	10	120	23.50
2"	50	04	40	34.00



3/4" x 1/2"	20x15	50	500	5.50
1" x 1/2"	25x15	35	350	10.00
1" x 3/4"	25x20	20	320	8.50
1 1/4" x 1/2"	32x15	20	100	15.00
1 1/4" x 3/4"	32x20	17	170	16.00
1 1/4" x 1"	32x25	10	100	13.50
1 1/2" x 1/2"	40x15	20	100	18.00
1 1/2" x 3/4"	40x20	20	100	20.00
1 1/2" x 1"	40x25	04	104	20.50
1 1/2" x 1 1/4"	40x32	05	55	17.50
2" x 1/2"	50x15	06	54	32.00
2" x 3/4"	50x20	06	54	31.00
2" x 1"	50x25	06	54	34.00
2" x 1 1/4"	50x32	03	54	31.50
2" x 1 1/2"	50x40	03	54	40.50

UPVC Fittings (ASTM-D-2467) SCH80	(Inch)	(mm)	Qty/Bag	Qty/Box	Rate/pc. (₹)
--------------------------------------	--------	------	---------	---------	--------------



1/2"	15	16	288	17.50
3/4"	20	16	240	20.50
1"	25	08	120	34.00
1 1/4"	32	06	72	46.00
1 1/2"	40	05	45	68.00
2"	50	04	24	101.00



1/2"	15	100	800	3.50
3/4"	20	60	600	5.50
1"	25	36	324	8.50
1 1/4"	32	20	220	14.00
1 1/2"	40	15	150	19.00
2"	50	06	60	28.50



3/4" x 1/2"	20x15	50	250	8.00
-------------	-------	----	-----	------



1/2"	15	40	400	85.00
3/4"	20	25	250	125.50
1"	25	08	192	157.50
1 1/4"	32	02	100	235.00
1 1/2"	40	02	80	290.50
2"	50	01	50	439.50














3/4" x 1/2"	20x15	20	220	90.00
-------------	-------	----	-----	-------



1/2"	15	50	650	4.50
3/4"	20	40	400	7.50
1"	25	20	240	11.00
1 1/4"	32	15	150	17.50
1 1/2"	40	10	100	21.50
2"	50	07	42	33.00

UPVC Fittings (ASTM-D-2467) SCH80		(Inch)	(mm)	Qty/Bag	Qty/Box	Rate/pc. (₹)
 <p>Brass Female Thread Adapter (FTA) with SS Ring</p>	1/2"	15	24	240	63.50	
	3/4"	20	15	150	81.00	
	1"	25	07	112	118.50	
	1 1/4"	32	05	50	175.00	
	1 1/2"	40	04	40	232.50	
	2"	50	03	30	300.00	
 <p>Brass Female Thread Adapter (FTA)</p>	1/2"	15	24	240	60.00	
	3/4"	20	15	150	77.00	
	1"	25	07	112	114.00	
	1 1/4"	32	05	50	170.50	
	1 1/2"	40	04	40	227.50	
	2"	50	03	30	290.00	
 <p>Brass Reducer Female Thread Adapter (FTA) with SS Ring</p>	3/4" x 1/2"	20x15	18	180	64.00	
	1" x 1/2"	25x15	10	100	82.00	
 <p>Brass Reducer Female Thread Adapter (FTA)</p>	3/4" x 1/2"	20x15	18	180	60.00	
	1" x 1/2"	25x15	10	100	76.00	
 <p>Tank Nipple</p>	1/2"	15	22	220	16.50	
	3/4"	20	14	140	20.00	
	1"	25	08	80	25.50	
	1 1/4"	32	05	55	34.00	
	1 1/2"	40	04	40	39.00	
	2"	50	03	27	50.00	
 <p>Tank Nipple with One Side Fitment</p>	3/4"	20	25	150	18.50	
	1"	25	20	100	30.00	

UPVC Fittings (ASTM-D-2467) SCH80		(Inch)	(mm)	Qty/Bag	Qty/Box	Rate/pc. (₹)
 <p>Single Union Ball Valve</p>	1/2"	15	06	168	110.00	
	3/4"	20	05	105	177.00	
	1"	25	04	84	295.00	
	1 1/4"	32	02	30	382.00	
	1 1/2"	40	01	32	572.00	
	2"	50	01	12	876.00	
 <p>Compact Ball Valve</p>	1/2"	15	18	162	88.00	
	3/4"	20	08	80	118.50	
	1"	25	07	84	168.50	
	1 1/4"	32	05	50	218.50	
	1 1/2"	40	04	48	327.00	
	2"	50	02	24	500.50	
 <p>Step Over Bend</p>	1/2"	15	10	100	24.00	
	3/4"	20	10	80	40.00	
	1"	25	05	50	75.00	
 <p>Reducer Bushing</p>	3/4" x 1/2"	20x15	70	490	2.50	
	1" x 1/2"	25x15	60	300	6.50	
	1" x 3/4"	25x20	60	300	4.00	
	1 1/4" x 1/2"	32x15	25	250	16.00	
	1 1/4" x 3/4"	32x20	25	250	12.50	
	1 1/4" x 1"	32x25	20	180	7.00	
	1 1/2" x 1/2"	40x15	15	135	15.50	
	1 1/2" x 3/4"	40x20	10	500	17.00	
	1 1/2" x 1"	40x25	15	135	13.50	
	1 1/2" x 1 1/4"	40x32	15	135	7.00	
	2" x 1/2"	50x15	10	250	28.50	
	2" x 3/4"	50x20	10	350	24.00	
	2" x 1"	50x25	10	250	23.00	
	2" x 1 1/4"	50x32	10	100	29.50	
2" x 1 1/2"	50x40	08	80	20.00		
 <p>Plastic Clamp</p>	1/2"	15	100	1000	2.75	
	3/4"	20	100	800	3.50	
	1"	25	60	600	4.50	
	1 1/4"	32	50	500	7.25	
	1 1/2"	40	30	300	8.50	
	2"	50	25	200	11.50	

UPVC Fittings (ASTM-D-2467) SCH80		(Inch)	(mm)	Qty/Bag	Qty/Box	Rate/pc. (₹)
 Powder Coated Metal Clamp	1/2"	15	100	2000	6.75	
	3/4"	20	100	1500	7.50	
	1"	25	50	1000	9.00	
	1 1/4"	32	50	1000	10.00	
	1 1/2"	40	25	500	11.00	
	2"	50	25	500	12.00	
 SS Clamp	1/2"	15	25	2000	9.75	
	3/4"	20	50	1500	10.00	
	1"	25	50	1000	10.50	
	1 1/4"	32	25	1000	11.25	
	1 1/2"	40	10	500	13.50	
	2"	50	10	500	16.00	
 Welding Clamp	1/2"	15	20	200	6.00	
	3/4"	20	18	180	6.50	
	1"	25	12	120	7.00	
	1 1/4"	32	10	100	8.50	
	1 1/2"	40	05	150	9.00	
	2"	50	05	100	10.00	
 Flange End Cap Open	1"	25	06	72	53.00	
	1 1/4"	32	04	56	58.50	
	1 1/2"	40	04	40	84.00	
	2"	50	02	30	115.50	
 Flange End Cap Closed	1"	25	06	66	54.00	
	1 1/4"	32	04	44	60.00	
	1 1/2"	40	02	32	86.00	
	2"	50	02	30	117.00	
 Short Bend	1/2"	15	05	350	19.00	
	3/4"	20	05	250	25.00	
	1"	25	05	130	43.50	
	1 1/4"	32	05	70	72.00	
	1 1/2"	40	05	50	90.00	
	2"	50	05	30	139.00	

UPVC Fittings (ASTM-D-2467) SCH80	(Inch)	(mm)	Qty/Bag	Qty/Box	Rate/pc. (₹)
--------------------------------------	--------	------	---------	---------	--------------



1/2"	15	06	72	35.00
------	----	----	----	-------



1/2"	15	140	1400	3.50
3/4"	20	90	900	5.50
1"	25	50	500	7.50
1 1/4"	32	30	330	14.00
1 1/2"	40	20	240	17.50
2"	50	06	72	27.00

Terms & Conditions:

1. Above prices are Ex-Works.
2. All Government Levis like Excise Duty, CST/VAT, Educationalcess will be charged as applicable.
3. Prices, Discounts & Terms and Conditions are subject to change without any prior notice.
4. Prices prevailing at the time of dispatch will be applicable.
5. Please refer to works for minimum order quantity.
6. Please refer to our technical catalogue before placing order for any technical query.
7. All disputes are subject to Kolkata Court Jurisdiction only.



A dynamic water splash is the central visual element, with water droplets and bubbles captured in mid-air against a light blue background. The splash originates from the bottom left and moves towards the center. A large white circle with a black border is positioned in the upper center, containing the company logo and product name. A vertical green bar is on the right side of the page.

SKIPPER
PIPES

SWR
PIPES

Smooth Flow. Life Long.

With a smooth finishing that allows free flow ensuring better performance, Skipper Magikflow SWR Pipes and Fittings are highly recommended for residential / office / hotel and commercial use. They are also used for drainage systems at public places such as stations, airports, hospitals and theatres.

While these SWR Pipes and Fittings are light and easy to handle, they have very high tensile strength and impact strength, making it tough, resilient and durable. Resistant to rust, UV (ultraviolet) radiation and most chemical actions, Magikflow SWR Pipes & Fittings ensure a very long life span.

SWR


SWR Pipes & Fittings

Conforms to IS 13592 & IS 14735




- ◆ High Tensile & Impact Strength
- ◆ Heat & Flame Resistant
- ◆ Smooth Internal Surface
- ◆ Longer Life Span
- ◆ Maintenance Free
- ◆ Anti-Corrosion / Anti-Rusting
- ◆ Co-Moulded Composite Rubber Ring Seal
- ◆ UV Stabilized

SWR Magik Flow Plus Pipes (IS 13592)















	Length in Meters	Length in Feet	(75mm) (3") Rate/pc. (₹)	(110mm) (4") Rate/pc. (₹)	(160mm) (6") Rate/pc. (₹)
Single Socket	06	20	583.00	1047.00	2376.00
Single Socket	03	10	291.50	523.50	1188.00
Double Socket	03	10	308.50	560.00	1198.50
Single Socket	1.80	06	183.50	322.00	734.00
Double Socket	1.80	06	199.50	345.00	764.50
Double Socket	1.21	04	137.50	239.00	527.50
Double Socket	0.91	03	112.50	188.00	401.50
Double Socket	0.60	02	82.00	139.50	267.50
Single Socket	06	20	1023.00	1514.00	2810.00
Single Socket	03	10	511.50	757.00	1405.00
Double Socket	03	10	528.50	790.50	1422.50
Single Socket	1.80	06	336.50	482.50	950.00
Double Socket	1.80	06	342.50	511.50	964.50
Double Socket	1.21	04	240.50	345.00	671.00
Double Socket	0.91	03	183.50	262.50	527.50
Double Socket	0.60	02	130.00	183.50	360.00







SWR Magik Flow Push Fit Pipes (IS 13592)












	Length in Meters	Length in Feet	(75mm) (3") Rate/pc. (₹)	(110mm) (4") Rate/pc. (₹)	(160mm) (6") Rate/pc. (₹)
Single Socket	06	20	577.00	1042.00	2367.00
Single Socket	03	10	288.50	521.00	1183.50
Double Socket	03	10	305.50	554.50	1189.00
Single Socket	1.80	06	180.50	319.00	729.50
Double Socket	1.80	06	196.00	339.00	755.00
Double Socket	1.21	04	133.50	230.00	513.00
Double Socket	0.91	03	108.50	179.50	385.00
Double Socket	0.60	02	79.00	134.50	258.50
Single Socket	06	20	1019.00	1503.00	2803.00
Single Socket	03	10	509.50	751.50	1401.50
Double Socket	03	10	524.50	784.50	946.50
Single Socket	1.80	06	333.00	479.50	950.00
Double Socket	1.80	06	338.00	505.50	956.00
Double Socket	1.21	04	237.00	339.00	661.50
Double Socket	0.91	03	180.50	258.00	518.00
Double Socket	0.60	02	128.00	178.50	349.50







SWR Magik Fit Plus Fittings (IS 14735)	Size (inches)	Size (mm)	Rate/pc. (₹)	Qty/Box
 <p>Plain Tee</p>	3"	75	59.00	40
	4"	110	126.00	15
	6"	160	308.00	04
 <p>Reducing Tee Plain</p>	4" x 3"	110 x 75	98.00	15
	6" x 4"	160 x 110	260.00	06
 <p>Double Tee Plain</p>	3"	75	100.00	24
	4"	110	135.00	09
 <p>Double Tee Door</p>	3"	75	153.00	20
	4"	110	178.00	08
 <p>Door Tee</p>	3"	75	70.00	32
	4"	110	140.00	12
	6"	160	315.00	04
 <p>Reducing Tee Door</p>	4" x 3"	110 x 75	130.00	18
	6" x 4"	160 x 110	294.00	06







SWR Magik Fit Plus Fittings (IS 14735)	Size (inches)	Size (mm)	Rate/pc. (₹)	Qty/Box
 Door Tee (LH)	3"	75	100.50	20
	4"	110	196.00	10
 Door Tee (RH)	3"	75	100.50	20
	4"	110	196.00	10
 Door Bend 87.5°	3"	75	58.50	48
	4"	110	113.00	20
	6"	160	260.50	10
 Door Bend 87.5° (LH)	3"	75	88.00	20
	4"	110	185.00	16
 Door Bend 87.5° (RH)	3"	75	88.00	20
	4"	110	185.00	16
 Door Y	3"	75	99.00	25
	4"	110	196.00	08



SWR Magik Fit Plus Fittings (IS 14735)	Size (inches)	Size (mm)	Rate/pc. (₹)	Qty/Box
 Double Y with Door	3"	75	148.00	12
	4"	110	254.00	06
 Plain Bend 45°	3"	75	37.50	50
	4"	110	74.00	30
	6"	160	191.00	06
 Plain Bend 87.5°	3"	75	41.50	54
	4"	110	86.00	20
	6"	160	233.50	10
 Plain Y	3"	75	72.50	30
	4"	110	138.00	12
	6"	160	429.50	04
 Double Y Plain	3"	75	105.00	15
	4"	110	171.00	08
 Coupler	3"	75	32.00	84
	4"	110	57.00	30
	6"	160	158.50	16




SWR Magik Fit Plus Fittings (IS 14735)	Size (inches)	Size (mm)	Rate/pc. (₹)	Qty/Box
 <p data-bbox="347 557 450 592">Reducer</p>	4" x 3"	110 x 75	56.50	60
	6" x 4"	160 x 110	117.50	18
 <p data-bbox="322 867 481 902">Cleaning Pipe</p>	3"	75	61.50	48
	4"	110	126.50	18
	6"	160	278.50	06
 <p data-bbox="331 1145 475 1181">Rubber Ring</p>	3"	75	28.00	By piece
	4"	110	36.00	By piece

SWR Magik Fit Push Fittings (IS 14735)	Size (inches)	Size (mm)	Rate/pc. (₹)	Qty/Box
 <p>Plain Tee</p>	3"	75	48.00	40
	4"	110	96.50	15
	6"	160	232.00	04
 <p>Reducing Tee Plain</p>	4" x 3"	110 x 75	90.50	15
	6" x 4"	160 x 110	255.50	06
 <p>Double Tee Plain</p>	3"	75	74.50	24
	4"	110	142.50	09
 <p>Double Tee Door</p>	3"	75	95.50	20
	4"	110	177.00	08
 <p>Door Tee</p>	3"	75	59.50	32
	4"	110	121.50	12
	6"	160	274.50	04
 <p>Reducing Tee Door</p>	4" x 3"	110 x 75	122.00	18
	6" x 4"	160 x 110	275.00	06


SWR Magik Fit Push Fittings (IS 14735)	Size (inches)	Size (mm)	Rate/pc. (₹)	Qty/Box
 Door Tee (LH)	3"	75	89.50	20
	4"	110	171.50	10
 Door Tee (RH)	3"	75	89.50	20
	4"	110	171.50	10
 Door Bend 87.5°	3"	75	51.00	48
	4"	110	84.00	20
	6"	160	222.00	10
 Door Bend 87.5° (LH)	3"	75	81.00	20
	4"	110	144.00	16
 Door Bend 87.5° (RH)	3"	75	81.00	20
	4"	110	144.00	16
 Door Y	3"	75	85.50	25
	4"	110	176.50	08

SWR Magik Fit Push Fittings (IS 14735)	Size (inches)	Size (mm)	Rate/pc. (₹)	Qty/Box
 <p>Double Y with Door</p>	3"	75	112.00	12
	4"	110	226.50	06
 <p>Plain Bend 45°</p>	3"	75	33.00	50
	4"	110	68.00	30
	6"	160	146.00	06
 <p>Plain Bend 87.5°</p>	3"	75	40.00	54
	4"	110	69.50	20
	6"	160	187.00	10
 <p>Plain Y</p>	3"	75	65.50	30
	4"	110	131.00	12
	6"	160	427.00	04
 <p>Double Y Plain</p>	3"	75	95.50	15
	4"	110	167.00	08
 <p>Coupler</p>	3"	75	24.50	84
	4"	110	47.50	30
	6"	160	103.50	16

SWR Magik Fit Push Fittings (IS 14735)	Size (inches)	Size (mm)	Rate/pc. (₹)	Qty/Box
 <p>Reducer</p>	4" x 3"	110 x 75	43.50	60
	6" x 4"	160 x 110	110.50	18
 <p>Cleaning Pipe</p>	3"	75	50.50	48
	4"	110	102.50	18
	6"	160	225.50	06

Other Fittings	Size (inches)	Size (mm)	Rate/pc. (₹)	Qty/Box
 Nahani Trap (with Jali)	4" x 3"	110 x 75	74.50	35
	4" x 3"	110 x 75	67.00	35
 Socket Plug	3"	75	23.50	144
	4"	110	36.50	48
 Multi Floor Trap	4" x 3"	110 x 75	101.00	24
	3"	75	24.50	per piece
 Door Cap	4"	110	35.50	per piece
	3"	75	11.50	225
 Pipe Clip	4"	110	15.00	120
	6"	160	31.00	60

Other Fittings	Size (inches)	Size (mm)	Rate/pc. (₹)	Qty/Box
 <p data-bbox="336 548 456 581">Vent Cowl</p>	3"	75	13.00	210
	4"	110	20.00	150
	6"	160	42.50	36
 <p data-bbox="336 849 456 882">Pass Over</p>	3"	75	Available on request	
	4"	110	Available on request	
 <p data-bbox="336 1156 456 1190">P. Trap</p>	4" x 4"	110 x 110	189.00	10
 <p data-bbox="268 1457 525 1490">P. Trap with W.C. Ring</p>	5" x 4"	125 x 110	238.50	10
 <p data-bbox="336 1758 456 1791">S. Trap</p>	4" x 4"	110 x 110	300.00	09
 <p data-bbox="268 2046 525 2079">S. Trap with W.C. Ring</p>	5" x 4"	125 x 110	382.00	08

Other Fittings	Size (inches)	Size (mm)	Rate/pc. (₹)	Qty/Box
 <p data-bbox="156 539 379 608">W.C. Connector with W.C. Ring</p>	5" x 4" (6" long)	125 x 110	33.00	10
	5" x 4" (9" long)	125 x 110	49.00	10
	5" x 4" (18" long)	125 x 110	98.00	10

Terms & Conditions:

1. Above prices are on Ex-Works.
2. All Government Levies like Excise Duty, CST/VAT, Educationalcess will be charged as applicable.
3. Prices, Discounts & Terms & Conditions are subject to change without any prior notice.
4. Prices prevailing at the time of dispatch will be applicable.
5. Please refer to works for minimum order quantity.
6. Please refer to our technical catalogue before placing order for any technical query.
7. All disputes are subject to Kolkata Court Jurisdiction only.





SKIPPER
PIPES

**UNDERGROUND
DRAINAGE
PIPES**

Superior Quality Sewerage Systems.

Skipper Unplasticized polyvinyl chloride (PVC-U) Pipes for use in underground (buried) non-pressure gravity drain and sewer applications conforming to IS 15328. SDR series sewerage pipes are specially designed for underground non pressure applications like gravity drainage & sewer flow for transportation of soil & waste discharge of domestic origin, surface water (storm water) and industrial effluent.

Underground Drainage Pipes

Conforms to IS 15328



- ◆ Rodent resistant
- ◆ Smooth finish and aesthetic appeal
- ◆ Complete range from 63mm to 315mm
- ◆ 100% recyclable
- ◆ High stiffness strength
- ◆ High impact resistance strength
- ◆ Leak proof and odour proof joints
- ◆ Cost effective
- ◆ Economical and durable
- ◆ Available with both plain socket cement joints & elastomeric sealing ring socket joints

Selfit / Pushfit Underground Drainage Pipes (IS 15328)



Size		Stiffness Class		
mm	inch	SN2 Rate/Mtr (₹)	SN4 Rate/Mtr (₹)	SN8 Rate/Mtr (₹)
63	2	-	-	116.00
75	2½	-	-	146.00
90	3	-	-	182.50
110	4	-	-	246.50
125	4½	-	282.00	325.00
160	6	362.00	453.00	527.50
200	8	555.00	695.00	820.00
250	10	-	-	-
315	12	-	-	-

Elastomeric Rubber Ring Underground Drainage Pipes (IS 15328)



Size		Stiffness Class		
mm	inch	SN2 Rate/Mtr (₹)	SN4 Rate/Mtr (₹)	SN8 Rate/Mtr (₹)
63	2	-	-	119.00
75	2½	-	-	149.50
90	3	-	-	187.00
110	4	-	-	252.50
125	4½	-	289.00	333.00
160	6	371.00	464.00	540.50
200	8	569.00	712.50	840.50
250	10	902.00	1127.50	1322.00
315	12	1432.50	1783.50	2122.00

Terms & Conditions:

1. Above prices are Ex-Works.
2. All Government Levis like Excise Duty, CST/VAT, Educationalcess will be charged as applicable.
3. Prices, Discounts & Terms and Conditions are subject to change without any prior notice.
4. Prices prevailing at the time of dispatch will be applicable.
5. Please refer to works for minimum order quantity.
6. Please refer to our technical catalogue before placing order for any technical query.
7. All disputes are subject to Kolkata Court Jurisdiction only.

**FIXED
FOR LIFE**
ORR TECHNOLOGY
FOR EXTRA STRENGTH

SKIPPER

— PIPES —

An ISO 9001
Certified Company

SKIPPER

PIPES

Agriculture Pipes & Fittings

Conforms to IS 4985 & IS 12818:2010

PRICE LIST

AGRICULTURE PIPES

CASING PIPES

COLUMN PIPES

RIBBED STRAINER PIPES




AGRICULTURE

w.e.f 16th Sept, 2016

Applicable for Western and Northern states of India

www.skipperlimited.com



The Farmer's Friend


Skipper knows that farming is not an occupation but a way of life in which hardships and difficulties come as companions. Around 70% of the water used throughout the world accounts for agricultural usage and the majority is used for irrigation. Indian agriculture is highly rain-dependant for water. Skipper is trying to bring about a change in this regard.

Skipper's range of Borewell Pipes performs well at great depths and reduces the user's problems by being non-corrosive and unresponsive to bacterial and fungal build up. They are also impervious to fire.

Ideal as irrigation pipes too, Skipper pipes are used for long water supply lines in agriculture as well as in government and municipal projects. They are also used for agro-based industrial applications such as conveyance of slurry, chemicals and other waste matter.



AGRICULTURE



COLUMN



CASING



RIBBED STRAINER

Also available
CPVC, UPVC & SWR
Pipes & Fittings





The background of the entire page is a dynamic, high-speed photograph of water splashing and creating numerous bubbles. The water is a clear, vibrant blue, and the lighting highlights the textures of the splashes and the individual droplets. A large white circle is centered in the upper half of the page, containing the brand logo and product name.

SKIPPER
PIPES
AGRICULTURE
PIPES


Ultimate Endurance. Superb Flow.

Skipper Agricultural Pipes are made with superior quality UPVC pipes and are specially designed to withstand harsh weather conditions be it in sun, rain or snow. Tough and long-lasting, Skipper Agricultural Pipes conform to IS 4985 and come with easy-to-fit fittings and solvent cement. No matter how far your field is, Skipper Agricultural Pipes makes sure you get a constant flow of water.

Agriculture Pipes

Conforms to IS 4985

- ◆ Superb Flow
- ◆ Harsh Weather Proof
- ◆ UV & Oxidation Protection
- ◆ Uniform Diameter & Wall Thickness
- ◆ Anti Fungal




Selfit/Pushfit Rigid PVC Pipes (IS 4985 / 2000)



Outer Diameter (Inch)	Outer Diameter (mm)	2.5kg/cm ²	4.0kg/cm ²	6.0kg/cm ²	8.0kg/cm ²	10.0kg/cm ²
		Rate/mtr (₹) CLASS - 1	Rate/mtr (₹) CLASS - 2	Rate/mtr (₹) CLASS - 3	Rate/mtr (₹) CLASS - 4	Rate/mtr (₹) CLASS - 5
½"	20	-	-	-	-	17.00
¾"	25	-	-	-	22.00	25.00
1"	32	-	-	-	34.50	40.50
1¼"	40	-	-	41.50	51.50	61.50
1½"	50	-	-	63.00	81.50	99.50
2"	63	-	69.50	100.00	126.50	153.50
2½"	75	-	98.50	139.00	179.00	219.00
3"	90	88.50	137.50	200.50	255.50	311.00
4"	110	131.00	200.50	291.00	379.50	468.50
4½"	125	170.00	263.50	383.50	497.50	611.00
5"	140	209.00	326.50	476.00	615.00	753.50
6"	160	272.50	426.50	616.00	798.00	980.00
7"	180	351.00	553.00	792.50	1027.50	1262.00
8"	200	432.50	670.50	971.00	1257.50	1544.00
9"	225	573.50	873.50	1269.00	1643.50	2018.00
10"	250	692.50	1070.00	1588.00	2050.00	2512.00
11"	280	887.50	1356.50	1988.00	2567.00	3146.50
12"	315	1115.00	1731.00	2533.00	3262.00	3991.00

Selfit/Pushfit Slotted Rigid PVC Pipes



Outer Diameter (Inch)	Outer Diameter (mm)	2.5kg/cm ²	4.0kg/cm ²	6.0kg/cm ²	8.0kg/cm ²	10.0kg/cm ²
		Rate/mtr (₹) CLASS - 1	Rate/mtr (₹) CLASS - 2	Rate/mtr (₹) CLASS - 3	Rate/mtr (₹) CLASS - 4	Rate/mtr (₹) CLASS - 5
1½"	50	-	-	103.00	-	-
2"	63	-	-	140.00	-	-
3"	90	-	177.50	240.50	-	-
4"	110	-	240.50	331.00	-	-
5"	140	-	376.50	526.00	-	-
6"	160	-	501.00	691.00	-	-
7"	180	-	633.00	872.50	-	-
8"	200	-	770.50	1071.00	-	-

Ring Fit Rigid PVC Pipes (IS 4985)



Outer Diameter (Inch)	Outer Diameter (mm)	2.5kg/cm ²	4.0kg/cm ²	6.0kg/cm ²	8.0kg/cm ²	10.0kg/cm ²
		Rate/mtr (₹) CLASS - 1	Rate/mtr (₹) CLASS - 2	Rate/mtr (₹) CLASS - 3	Rate/mtr (₹) CLASS - 4	Rate/mtr (₹) CLASS - 5
2"	63	-	73.50	104.50	-	-
2½"	75	-	104.00	145.50	-	-
3"	90	-	144.50	208.50	-	-
4"	110	-	209.50	302.00	-	-
4½"	125	-	275.00	397.50	-	-
5"	140	-	340.00	492.50	-	-
6"	160	-	443.50	637.00	-	-
7"	180	-	576.00	820.00	-	-
8"	200	-	697.00	1003.50	-	-
9"	225	-	906.00	1309.50	-	-
10"	250	-	1110.00	1638.50	-	-
11"	280	-	1406.00	2050.00	-	-
12"	315	-	1799.50	2617.50	-	-





SKIPPER
PIPES

**CASING
PIPES**

Smooth Flow. Life Long.

Skipper Borewell Pipes perform well at great depths and are non-reactive to corrosion, bacteria and fungal build-up. Additionally, it is impervious to fire. Skipper Borewell Casing Pipes are recommended by experts at the highest level for its strength and longer lifespan. Skipper Casing Pipes offer various advantages as they are cost-effective, light and easy to install.

Casing Pipes

Conforms to IS 12818

- ◆ High Strength & Durability
- ◆ Non Corrosive
- ◆ Electro Chemical Reaction Resistant
- ◆ Quick Installation



Casing Pipes (IS 12818:2010)



Nominal Bore		Casing Medium (CM)	Casing Shallow (CS)
(Inch)	(mm)	Rate/Mtr. (₹)	Rate/Mtr. (₹)
1½"	40	110.50	-
2"	50	135.50	-
3"	80	220.00	-
4"	100	408.00	-
4½"	115	-	-
5"	125	656.00	537.00
6"	150	879.00	685.00
7"	175	1251.50	1019.00
8"	200	1608.00	1250.50
10"	250	2520.00	1961.00
12"	300	3528.00	2750.00


Slotted Blue Casing Pipes



Nominal Bore		Casing Medium (CM)	Casing Shallow (CS)
(Inch)	(mm)	Rate/Mtr. (₹)	Rate/Mtr. (₹)
3"	80	260.00	-
4"	100	440.50	-
4½"	115	-	-
5"	125	708.50	580.50
6"	150	949.00	739.50
7"	175	1351.50	1100.50
8"	200	1736.50	1350.50

Terms & Conditions:

1. All above prices are Ex-Works.
2. All Government Levis like Excise Duty, CST/VAT, Educational cess will be charged as applicable.
3. Prices, Discounts & Terms and Conditions are subject to change without any prior notice.
4. Prices prevailing at the time of dispatch will be applicable.
5. Please refer to works for minimum order quantity.
6. Please refer to our technical catalogue before placing order for any technical query.
7. All disputes are subject to Kolkata Court Jurisdiction only.





RIBBED STRAINER & COLUMN PIPES

Better Filtration. Anywhere.

These pipes are used for filtration of groundwater and are installed at a certain depth of the borewell pipeline where clean water is available. Ribbed Strainer Pipes are available in 1.8, 2 and 3m lengths. The fine gaps in these pipes work as a filter, which allows water to get in while restricting the pebbles, sand etc. That's why these pipes are also known as Filter Pipes.

Smooth Flow. Long Life.

Borewell with submersible pumps require column pipes through which water is pumped out from the underground sources. These pipes are fitted to the pumps and lowered to the level of pumpsets depending on how much water is required and the capacity of the pump to lift water. As the motor starts, water underneath rushes to the pump, which with the help of impellers fitted in the bowls along with centrifugal force, pumps the water upwards through the column pipes above the ground level.

Ribbed Strainer Pipes

Conforms to IS 12818:2010

- ◆ Better Filtration
- ◆ Withstands hydraulic pressure
- ◆ Higher permeability
- ◆ Reduces well entrance losses
- ◆ No electrolytic disposition
- ◆ Cost & Power Saver



Column Pipes

- ◆ Smooth Flow
- ◆ Shock & Jerk Proof
- ◆ Long Life
- ◆ Light Weight
- ◆ High Tensile Load Capacity
- ◆ Leak Proof Joints
- ◆ Torque Resistant



SKIPPER Ribbed Strainer Price List w.e.f 16th Sept, 2016

Ribbed Strainer (IS 12818:2010)



	Nominal Bore		Rate/Mtr (₹)
	(Inch)	(mm)	
	1½"	40	162.00
	2"	50	199.00
	3"	80	323.00
	4"	100	540.00
	5"	125	804.50
	6"	150	1069.00
	7"	175	1452.00
	8"	200	1834.00

SKIPPER Column Price List

w.e.f 16th Sept, 2016

Column Pipes



Size		V4 (Screen - Orange)		Medium (Screen - Black)		Silver (Screen - Red)	
(mm)	(Inch)	Working Pressure	With Coupler	Working Pressure	With Coupler	Working Pressure	With Coupler
		kg/cm²	Rate/pc (₹)	kg/cm²	Rate/pc (₹)	kg/cm²	Rate/pc (₹)
25	1"	12.5	177.50	15	210.00	21	255.00
32	1¼"	12.5	284.00	15	313.00	21	378.00
40	1½"	12.5	339.50	15	423.00	19	461.00
50	2"	12.5	629.00	-	-	-	-
65	2½"	10	736.00	15	990.00	-	-
80	3"	12.5	913.00	15	1289.00	-	-
100	4"	10	1595.00	-	-	-	-

Size		Gold (Screen - Blue)		Diamond (Screen - Green)		Super Heavy (Screen - Yellow)	
(mm)	(Inch)	Working Pressure	With Coupler	Working Pressure	With Coupler	Working Pressure	With Coupler
		kg/cm²	Rate/pc (₹)	kg/cm²	Rate/pc (₹)	kg/cm²	Rate/pc (₹)
25	1"	29	348.00	33	423.00	-	-
32	1¼"	25	434.00	36	564.00	-	-
40	1½"	23	561.00	33	686.00	-	-
50	2"	19	742.00	26	934.00	35	1168.00
65	2½"	18	963.00	22	1179.00	35	1770.00
80	3"	17	1340.00	20	1636.00	35	2431.00
100	4"	16	1994.00	18	2529.00	35	4017.00

(mm)	(inch)	Qty	Mode
25	1"	25	HDPE Bag
32	1¼"	20	HDPE Bag
40	1½"	20	HDPE Bag
50	2"	10	HDPE Bag
65	2½"	05	HDPE Bag
80	3"	05	HDPE Bag
100	4"	03	HDPE Bag

* Column Pipes - V4 & Medium rates applicable only for Northern region.

Terms & Conditions:

1. Above prices are on Ex-Works.
2. All Government Levis like Excise Duty, CST/VAT, Educationalcess will be charged as applicable.
3. Prices, Discounts & Terms & Conditions are subject to change without any prior notice.
4. Prices prevailing at the time of dispatch will be applicable.
5. Please refer to works for minimum order quantity.
6. Please refer to our technical catalogue before placing order for any technical query.
7. All disputes are subject to Kolkata Court Jurisdiction only.



**FIXED
FOR LIFE**
OIR TECHNOLOGY
FOR EXTRA STRENGTH